

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE

: 12/2/05

Paper No.: 20051213

TO SPE OF

: ART UNIT 2193

SUBJECT

: Request for Certificate of Correction on Patent No.: 6952710

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Palm location 7580, Certificates of Correction Branch – South Tower – 9A22

If response is for an IFW, return to employee (named below) via PUBSCofC Team in MADRAS.

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Valerie Jackson

Thank You For Your Assistance

Certificates of Correction Branch

Tel. No. 703-308-9390 ext. 114

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ Approved

All changes apply.

☐ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments:

There is no terminal disclaimer in the application

KAKALI CHAKI

TERMINAL PATENT EXAMINER

TECHNOLOGY CENTER 2100

Kakali Chaki

SPE

2193

Art Unit

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,952,710 B2

Page 1 of 1

DATED : October 4, 2005

INVENTOR(S) : Pelton et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Cancel "This patent is subject to a terminal disclaimer."

MAILING ADDRESS OF SENDER:

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

PATENT NO. 6,952,710 B2

No. of add'l. copies
@ 30¢ per page



FORM PTO 1050 (REV. 3-82)

NOV 18 2005